

Eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

5. FIRE-FIGHTING MEASURES

Extinguishing media : Use an extinguishing agent suitable for the surrounding fire.

Special fire-fighting procedures : No specific hazard.

Hazardous thermal decomposition products : Not available.

Protection of fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment.

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Methods for cleaning up : If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials), scoop up material and place in a sealable, liquid-proof container for disposal. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.

7. HANDLING AND STORAGE

Handling : Keep container closed. Use only with adequate ventilation. Use suitable protective equipment (section 8).

Storage : Keep container tightly closed. Keep container in a cool, well-ventilated area.

Packaging materials : Use original container.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

<u>Chemical name</u>	<u>Occupational exposure limits</u>
1) Distillates (petroleum), hydrotreated middle Gasoil - unspecified	No established limits.
2) proprietary	No established limits.

Engineering controls : Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective occupational exposure limits. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal Protective Equipment

Respiratory system : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Skin and body : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Hands : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Eyes : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state and appearance	: Liquid.
Color	: Black.
Boiling point	: The lowest known value is 538 °C. Weighted average: 538 °C.
Melting point	: May start to solidify at 31 °C. Weighted average: 30 °C.
Specific gravity	: 0.855 (Water = 1)
Vapor pressure	: The highest known value is 0 mm Hg at 20°C. Weighted average: 0 mm Hg at 20°C.
Evaporation rate (butyl acetate = 1)	: The highest known value is 0.0. Weighted average: 0.0.
Flash point	: 120 °C.
Autoignition temperature	: The lowest known value is 464 °C. Weighted average: 464 °C.
Flammable limits	: The lowest known value is 2.0%. The highest known value is 16.0%.
Volatility (w/w)	: 0 %.
VOC Volatility (w/w) - less exempt volatile.	: 0 %.

10. STABILITY AND REACTIVITY

Stability	: The product is stable.
Conditions and materials to avoid	: Not available.
Hazardous reactions	: Not available.
Hazardous decomposition products	: Not available.

11. TOXICOLOGICAL INFORMATION

<u>Chemical name</u>	<u>Toxicological information</u>
1) Distillates (petroleum), hydrotreated middle Gasoil - unspecified	Not available.
2) proprietary	Not available.

12. ECOLOGICAL INFORMATION

Persistence/degradability	: Not available.
Ecotoxicity	: Not available.
California, VOC Content	: 0 grams volatile organic / liter less water or exempt volatile.

13. DISPOSAL CONSIDERATIONS

Disposal methods	: Waste must be disposed of in accordance with federal, state and local environmental control regulations.
RCRA waste code	: Not available.

14. TRANSPORT INFORMATION

Proper shipping name	: Not regulated.
-----------------------------	------------------

15. REGULATORY INFORMATION

CERCLA	:	The following substance is listed by CERCLA: None.
SARA 313	:	The following substance is listed on SARA 313: None.
California prop. 65	:	This product contains the following ingredients for which the State of California has found to cause cancer, birth defects or other reproductive harm, which would require a warning under the statute: None.
Tariff Code - harmonized system	:	3215.11 Printing ink: Black. USA ...00.60 EU ...00.00

16. OTHER INFORMATION

Date of issue	:	October 4, 2005
Prepared by	:	Garth Studebaker, CSP
Version	:	5

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.